


FROAV – Clapet valve DN 32:400

Clapet valve in PVC-U without spring, ANSI150 series.



EPDM

| Reference | d | DN | PN | product.detail.attribute.De ANSI150 | Z | Di | A | B | C | g |
|-----------|--------|-----|----|-------------------------------------|----|-----|-----|-----|----|-------|
| FROAV112E | 1"1/2 | 40 | 10 | 83 | 16 | 22 | 72 | 25 | 28 | 160 |
| FROAV816E | 16" | 400 | 5 | 514 | 65 | 310 | 467 | 285 | 50 | 12975 |
| FROAV814E | 14" | 350 | 5 | 451 | 49 | 266 | 416 | 245 | 44 | 7855 |
| FROAV812E | 12" | 300 | 5 | 410 | 45 | 227 | 363 | 215 | 41 | 5350 |
| FROAV810E | 10" | 250 | 5 | 340 | 40 | 192 | 312 | 180 | 41 | 3540 |
| FROAV800E | 8" | 200 | 6 | 279 | 34 | 154 | 255 | 152 | 38 | 2130 |
| FROAV200E | 2" | 50 | 10 | 105 | 18 | 32 | 86 | 37 | 29 | 260 |
| FROAV600E | 6" | 150 | 6 | 222 | 26 | 105 | 197 | 100 | 40 | 1120 |
| FROAV500E | 5" | 125 | 10 | 197 | 23 | 92 | 173 | 94 | 35 | 760 |
| FROAV400E | 4" | 100 | 10 | 175 | 23 | 70 | 146 | 77 | 31 | 560 |
| FROAV300E | 3" | 80 | 10 | 137 | 20 | 54 | 119 | 61 | 32 | 400 |
| FROAV212E | 2"1/2 | 65 | 10 | 124 | 20 | 40 | 105 | 50 | 31 | 330 |
| FROAV114E | 1 1/4" | 32 | 10 | 74 | 15 | 18 | 59 | 22 | 25 | 140 |

FKM

| Reference | d | DN | PN | product.detail.attribute.De ANSI150 | Z | Di | A | B | C | g |
|-----------|-------|----|----|-------------------------------------|----|----|----|----|----|-----|
| FROAV112F | 1"1/2 | 40 | 10 | 83 | 16 | 22 | 72 | 25 | 28 | 160 |

FROAV – Clapet valve DN 32:400

| Reference | d | DN | PN | product.detail.attribute.De ANSI150 | Z | Di | A | B | C | g |
|-----------|--------|-----|----|-------------------------------------|----|-----|-----|-----|----|-------|
| FROAV114F | 1 1/4" | 32 | 10 | 74 | 15 | 18 | 59 | 22 | 25 | 140 |
| FROAV200F | 2" | 50 | 10 | 105 | 18 | 32 | 86 | 37 | 29 | 260 |
| FROAV212F | 2 1/2" | 65 | 10 | 124 | 20 | 40 | 105 | 50 | 31 | 330 |
| FROAV300F | 3" | 80 | 10 | 137 | 20 | 54 | 119 | 61 | 32 | 400 |
| FROAV400F | 4" | 100 | 10 | 175 | 23 | 70 | 146 | 77 | 31 | 560 |
| FROAV500F | 5" | 125 | 10 | 197 | 23 | 92 | 173 | 94 | 35 | 760 |
| FROAV600F | 6" | 150 | 6 | 222 | 26 | 105 | 197 | 100 | 40 | 1120 |
| FROAV800F | 8" | 200 | 6 | 279 | 34 | 154 | 255 | 152 | 38 | 2130 |
| FROAV810F | 10" | 250 | 5 | 340 | 40 | 192 | 312 | 180 | 41 | 3540 |
| FROAV812F | 12" | 300 | 5 | 410 | 45 | 227 | 363 | 215 | 41 | 5350 |
| FROAV814F | 14" | 350 | 5 | 451 | 49 | 266 | 416 | 245 | 44 | 7855 |
| FROAV816F | 16" | 400 | 5 | 514 | 65 | 310 | 467 | 285 | 50 | 12975 |



FROAV – Clapet valve DN 32:400

- Installed with FIP QPV (d40 – d160) stubs and QRV stubs using flat gasket QHV/Y (d225 – d315), on PVC piping class PN10 or lower with type ODV flanges
- **Metal support for easy and precise centring** of the valve during installation
- Can be installed in either a vertical or horizontal position
- **Sealing system with O-ring** for optimum sealing and installation without flat gaskets